WORDNET SQL DESIGN

version 3.0.0

Dec 2013

Bernard Bou
<bbou@ac-toulouse.fr>


wordnet
WordNet syntactic category
WordNet synset
WordNet lexicographer file
Morph
-morph: String
MorphMap
-pos: PartOfSpeech
PartOfSpeech
-posname: {n,v,a,r,s}
Word
-lemma: String
CasedWord
-cased: String
Synset
-pos: PartOfSpeech
-lexdomain: LexDomain
-definition: String
LexDomain
-lexdomainname: String
-pos: PartOfSpeech
Sample
-sample: String
Sense
-sensenum: int
-sensekey: String
-senseid: long
-lexid: int
-tagcount: int
SenseOfCasedWord
SemanticLink
-linkType: LinkType
LexicalLink
-linkType: LinkType
LinkType
-link: String
-recurses: boolean
has
is member of
is semantically linked to
is lexically linked to
WordNet sense
-sensenum: sense number in set of word senses
-senseid: line number in index.sense
-sensekey: sense representation
-lexid: index of word sense in lexicographer file
-tagcount: number of times the sense has been tagged in various semantic concordance texts
WordNet relation
hypernym
hyponym
instancehypernym
instancehyponym
partholonym
partmeronym
memberholonym
membermeronym
substanceholonym
substancemeronym
entail
cause
antonym
similar
also
attribute
verbgroup
participle
pertainym
derivation
domaincategory
domainmembercategory
domainregion
domainmemberregion
domainusage
domainmemberusage
domain
member


wordnet
PartOfSpeech
-posname: String
has
1..1
0..*
Word
-lemma: String
1..*
1..1
has ▸
1..*
1..1
Synset
-pos: PartOfSpeech
-lexdomain: LexDomain
-definition: String
verbs
1..*
1..*
verbs
VerbFrame
-frame: String
0..*
1..1
◂ has
0..*
1..1
Sense
-sensenum: int
-senseid: int
-sensekey: String
-lexid: int
-tagcount: int
0..*
1..1
has ▸
0..*
1..1
VFrameSentence
-sentence: String
0..*
0..*
VerbFrameMap
0..*
0..*
VFrameSentenceMap
has ◂
0..1
AdjectivePosition
-position: {a,p,ip}
adjectives whose
senses are restricted
to som positions
like certain, dead,
in, out, up, true, gone


legacy
PartOfSpeech
-posname: {n,v,a,r,s}
1..1
1..1
has
has
0..*
0..*
Word
-lemma: String
1..*
1..1
has ▸
1..*
1..1
Synset
-pos: PartOfSpeech
-category: Category
-definition: String
0..*
1..1
maps to ▸
0..*
1..1
SynsetX
-pos: PartOfSpeech
-category: Category
-definition: String
1..*
1..1
◂ has
1..*
1..1
Word
-lemma: String
WordNet synset
version X
0..*
0..*
SynsetMap
-quality: int
WordNet sense
version X
1..*
1..*
Sense
-sensenum: int
-sensekey: String
-senseid: long
-lexid: int
-tagcount: int
0..*
1..1
maps to ▸
0..*
1..1
SenseX
-sensenum: int
-sensekey: String
-senseid: long
1..*
1..*
SenseMap
-quality: int


verbnet
Word
-lemma: String
Synset
-pos: PartOfSpeech
-lexdomain: LexDomain
-definition: String
is member of
RoleType
-roletype: String
has
Role
Sense
-sensenum: int
-senseid: int
-sensekey: String
-lexid: int
-tagcount: int
Frame
-number: String
-xtag : String
FrameName
-framename: String
FrameSubName
-framesubname: String
ExampleMap
Example
-example: String
Syntax
-syntax: XMLString
Semantics
-semantics: XMLString
SelRestrs
-selrestrs: XMLString
combines
SelRestrType
-selrestrval: {+,-}
-selrestr: String
ClassMember
ClassMemberSense
RoleMap
-quality: int
FrameMap
-quality: int
PredicateMap
Predicate
-predicate: String
GroupingMap
Grouping
- name: String
Class
-class: String
groups


bnc
PartOfSpeech
-posname: String
has
1..1
0..*
BncStats
-freq: long
-range: int
-disp: float
0..1
has
1..1
Word
-lemma: String
1..1
has
0..1
PartOfSpeech
-posname: String
has
1..1
0..*
BncStatsXY
-freq1: long
-range1: int
-disp1: float
-freq2: long
-range2: int
-disp2: float
-ll: float
British National Corpus
-frequency per million word tokens (down to a minimum of 10 occurrences of a lemma per million)
-range, number of sectors of the corpus (out of a maximum of 100) in which the word occurs
-dispersion value (Juilland's D) from a minimum of 0.0 to a maximum of 1.0
British National Corpus
-speech vs writing
-conversation vs task-oriented speech
-informative vs imaginative writing
ll=distinctiveness, measured in log likelihood (varying from 0.0 to 1.0)


sumo
Type of term
-f: function
-m: math function
-c: comparison op
-l: logical op
-q: quantifier
-R/r: subclass/child of Relation
-F/f: subclass/child of Function
-P/p: subclass/child of Predicate
-A/a: subclass/child of Attribute
-c/C: subclass/superclass
-i: instance
-s/S: subrelation/superrelation
-@: relation operator in formula
TermAttribute
-attr: char
File
-file: String
-version: String
-date: Date
has
0..*
0..*
belongs to
1..1
1..*
Synset
-pos: PartOfSpeech
-lexdomain: LexDomain
-definition: String
1..*
maps to
0..*
1..1
1..1
Term
-term: String
-ischildofAttribute bool
-ischildofFunction bool
-ischildofPredicate bool
-ischildofRelation bool
-iscomparisonop bool
-isfunction bool
-isinstance bool
-islogical bool
-ismath bool
-isquantifier bool
-isrelationop bool
-issubclass bool
-issubclassofAttribute bool
-issubclassofFunction bool
-issubclassofPredicate bool
-issubclassofRelation bool
-issubrelation bool
-issuperclass bool
-issuperrelation bool
0..*
appears in
0..*
1..1
1..1
Formula
-formula: String
0..*
0..*
Map
1..1
-type: {=,+,@,:,[,]}
ParseMap
-type: {a,s,p,c}
0..*
0..*
0..*
0..*
Relation WN synset to
SUMO concept
= equivalent
+ subsumed
@ instance of
: complement(equivalent)
[complement(subsumed)
] complement(instanceof)
Relation of term to formula
-a: is argument
-p: is in premise
-c: is in conclusion
-s: is nested in statement


xwordnet
PartOfSpeech
-posname: String
has
1..1
0..*
Synset
-pos: PartOfSpeech
-lexdomain: LexDomain
-definition: String
Wsd
-wsd: String
-text: String
0..1
has
1..1
1..1
has
0..1
ParseLft
-parse: String
-lft: String
-parsequality: int
-lftquality: int


glosslf
Word
-lemma: String
1..*
1..1
is member of ▸
1..*
1..1
Synset
-pos: PartOfSpeech
-lexdomain: LexDomain
-definition: String
1..1
1..1
1..*
1..*
Sense
-sensenum: int
-senseid: int
-sensekey: String
-lexid: int
-tagcount: int
has ▾
◂ references
0..*
GlossLF
-lf: String
-text: String
-isSub: boolean
0..1


ilfwn
Word
-lemma: String
Synset
-pos: PartOfSpeech
-lexdomain: LexDomain
-definition: String
Sense
-sensenum: int
-senseid: int
-sensekey: String
-lexid: int
-tagcount: int
IntermediateLF
-lf: String
-prettylf: String
-text: String
1..*
1..1
is member of ▸
1..*
1..1
1..1
1..1
1..*
1..*
has ▾
◂ references
0..*
0..1


wordnet
morphs
morphid: long
morph: String
pk
ck
morphmaps
wordid: long
pos: {n,v,a,r,s}
morphid: long
fk
pk
words
wordid: long
lemma: String
casedwords
casedwordid: long
cased: String
senses
synsetid: long
casedwordid: long
senseid: long
sensenum: int
sensekey: String
lexid: int
tagcount: int
postypes
pos: {n,v,a,r,s}
posname: String
synsets
synsetid: long
lexdomainid: int
definition: String
lexdomains
lexdomainid: int
lexdomainname: String
semlinks
synsetid1: long
synset2id: long
linkid: int
samples
synsetid: long
sampleid: int
sample: String
linktypes
linkid: int
link: String
recurses: boolean
adjpositions
wordid: long
position: {a,p,ip}
lexlinks
synsetid1: long
wordid1: long
synset2id: int
wordid2: int
linkid: int
adjpositiontypes
positionname: String
vframemaps
frameid: int
vframe sentencemaps
sentenceid: int
vframes
frame: String
vframe sentences
sentence: String


legacy
words
pk
ck
wordid: long
lemma: String
pk
senses
fk
wordid: long
synsetid: long
casedwordid: long
senseid: long
sensenum: int
sensekey: String
lexid: int
tagcount: int
pk
ck
ck
fk
synsets
pk
synsetid: long
lexdomainid: int
fk
pos: {n,v,a,r,s}
definition: String
pk
postypes
pk
pos: {n,v,a,r,s}
posname: String
sensemapsX
fk
wordid: long
synsetid: long
synset2id: long
quality: int
pk
fk
fk
synsetmapsX
fk
synsetid: long
synset2id: long
quality: int
pk
fk
sensesX
fk
fk
wordid: long
synsetid: long
senseid: long
sensenum: int
sensekey: String
pk
ck
ck


verbnet
vngroupings
groupingid: int
grouping: String
pk
vngroupingmaps
fk
wordid: long
classid: int
groupingid: int
pk
vnclasses
classid: int
class: String
vnselrestrs
selrestrsid: int
selrestrs: String
vnroletypes
roletypeid: int
roletype: String
vnclass members
vnclass member senses
synsetid: long
vnroles
roleid: int
roletypeid: int
selrestrsid: int
ck
vnrolemaps
rolemapid: long
wordid: long
synsetid: long
roleid: int
classid: int
rquality: int
words
lemma: String
synsets
lexdomainid: int
pos: {n,v,a,r,s}
definition: String
vnframemaps
framemapid: long
frameid: int
fquality: int
vnframes
number: String
xtag: String
nameid: int
subnameid: int
syntaxid: long
semanticsid: int
vnframenames
framename: String
vnframesubnames
subnameid: int
framesubname: String
vnsyntaxes
syntax: String
vnsemantics
semanticsid: long
semantics: String
vnexamplemaps
exampleid: int
vnexamples
example: String
vnpredicatemaps
predid: int
vnrpedicates
pred: String
vnselrestr type
selrestrid: int
selrestrval: {+,-}
selrestr: String


bnc
bncs
wordid: long
pos: {n,v,a,r,s}
freq: long
range: int
disp: float
pk
fk
fk
words
pk
ck
wordid: long
lemma: String
pk
postypes
pk
ck
pos: {n,v,a,r,s}
posname: String
pk
bncsXY
fk
fk
wordid: long
pos: {n,v,a,r,s}
freq1: long
range1: int
disp: float
freq2: long
range2: int
disp2: float
pk
ll: float
fk


sumo
Relation WN synset to SUMO concept
= equivalent
+ subsumed
@ instance of
: complement(equivalent)
[complement(subsumed)
] complement(instanceof)
Flattened attributes (option)
-ischildofAttribute
-ischildofFunction
-ischildofPredicate
-ischildofRelation
-iscomparisonop
-isfunction
-isinstance
-islogical
-ismath
-isquantifier
-isrelationop
-issubclass
-issubclassofAttribute
-issubclassofFunction
-issubclassofPredicate
-issubclassofRelation
-issubrelation
-issuperclass
-issuperrelation
synsets
pk
synsetid: long
lexdomainid: int
pos: {n,v,a,r,s}
definition: String
pk
sumomaps
fk
synsetid: long
sumoid: long
sumownrel:
pk
fk
{=,+,@,:,[,]}
sumoterms
pk
sumoid: long
sumoterm: String
isX *: bool
pk
ck
sumotermattrs
pk
sumoid: long
sumoattr: char
fk
Term attribute
-f: function
-m: math function
-c: comparison
-l: logical
-q: quantifier
-R: subclass of Relation
-r: child of Relation
-F: subclass of Function
-f: child of Function
-P: subclass of Predicate
-p: child of Predicate
-A: subclass of Attribute
-a: child of Attribute
-c/C: subclass/superclass
-i: instance
-s/S: subrelation/superrelation
-@: relation operator
sumoparsemaps
pk
mapid: long
formulaid: long
fk
fk
sumoid: long
sumoparsetype:
argnum: int
{a,p,c,s}
sumoformulas
pk
formulaid1: long
sumoid: long
sumofileid: int
fk
Relation of term to formula
-a: is argument
-s: is statement
-p: is in premise
-c: is in conclusion
sumofiles
pk
sumofileid: int
sumofile: String
sumoversion: String
sumodate: Date
ck


xwordnet
xwnparselfts
pk
synsetid: long
parse: String
lft: String
parsequality: int
lftquality: int
fk
synsets
pk
synsetid: long
lexdomainid: int
pos: {n,v,a,r,s}
definition: String
pk
xwnwsds
fk
synsetid: long
wsd: String
text: String
parsequality: int
lftquality: int
pk


glosslf
words
wordid: long
lemma: String
pk
synsets
synsetid: long
lexdomainid: int
pos: {n,v,a,r,s}
definition: String
pk
glfs
fk
fk
wordid: long
synsetid: long
lf: String
text: String
issub: boolean
pk


ilfwn
words
wordid: long
lemma: String
pk
synsets
synsetid: long
lexdomainid: int
pos: {n,v,a,r,s}
definition: String
pk
ilfs
fk
fk
wordid: long
synsetid: long
lf: String
prettylf: String
text: String
pk


wordnet
vframemaps
-synsetid: long
-wordid: long
-frameid: int
vframes
-frameid: int
-frame: String
vframesentencemaps
-synsetid: long
-wordid: long
-sentenceid: int
vframesentences
-sentenceid: int
-sentence: String
morphs
-morphid: long
-morph: String
morphmaps
-wordid: long
-pos: {n,v,a,r,s}
-morphid: long
adjpositions
-synsetid: long
-wordid: long
-position: {a,p,ip}
adjpositiontypes
-position: {a,p,ip}
-positionname: String
postypes
-pos: {n,v,a,r,s}
-posname: String
samples
-synsetid: long
-sampleid: int
-sample: String
lexlinks
-synset1id: long
-word1id: long
-synset2id: long
-word2id: long
-linkid: int
words
-wordid: long
-lemma: String
senses
-wordid: long
-casedwordid: long
-synsetid: long
-sensenum: int
-senseid: long
-sensekey: String
-lexid: int
-tagcount: int
synsets
-synsetid: long
-pos: {n,v,a,r,s}
-lexdomainid: int
-definition: String
linktypes
-linkid: int
-link: String
-recurses: boolean
semlinks
-synset1id: long
-synset2id: long
-linkid: int
casedwords
-casedwordid: long
-wordid: long
-cased: String
lexdomains
-lexdomainid: int
-lexdomainname: String
-pos: {n,v,a,r,s}


legacy
Set of source words is restricted
to those in target set
virtual
words
-wordid: long
-lemma: String
wordsXX
-wordid: long
-lemma: String
senses
-wordid: long
-casedwordid: long
-synsetid: long
-sensenum: int
-senseid: long
-sensekey: String
-lexid: int
-tagcount: int
sensemapsXXYY
-wordid: long
-synsetid: long
-synset2id: long
-quality: int
sensesXX
-wordid: long
-synsetid: long
-sensenum: int
-senseid: long
-sensekey: String
synsetmapsXXYY
-synsetid: long
-synset2id: long
-quality: int
synsets
-synsetid: long
-pos: {n,v,a,r,s}
-lexdomainid: int
-definition: String
synsetsXX
-synsetid: long
-pos: {n,v,a,r,s}
-lexdomainid: int
-definition: String
virtual


verbnet
vnmembersenses
-wordid: long
-synsetid: long
-classid: int
vnmembers
-wordid: long
-classid: int
vnclasses
-classid: int
-class: String
vnrolemaps
-rolemapid: long
-wordid: long
-synsetid: long
-roleid: int
-classid: int
-rquality: int
words
-wordid: long
-lemma: String
synsets
-synsetid: long
-pos: enum('n','v','a','r','s')
-categoryid: int
-definition: String
vnframemaps
-framemapid: long
-wordid: long
-synsetid: long
-frameid: int
-classid: int
-fquality: int
vngroupings
-groupingid: int
-grouping: String
vngroupingmaps
-groupingmapid: int
-classid: int
-wordid: int
-groupingid: int
vnroles
-roleid: int
-roletypeid: int
-selrestrsid: int
vnframes
-frameid: int
-number: String
-xtag: String
-nameid: int
-subnameid: int
-syntaxid: int
-semanticsid: int
vnroletypes
-roletypeid: int
-roletype: String
vnselrestrs
-selrestrsid: int
-selrestrs: String
vnframenames
-nameid: int
-framename: String
vnframesubnames
-subnameid: int
-framesubname: String
vnsyntaxes
-syntaxid: int
-syntax: String
vnsemantics
-semanticsid: int
-semantics: String
vnexamplemaps
-frameid: int
-exampleid: int
vnselrestrtypes
-selrestrid: int
-selrestrval: String
-selrestr: String
vnpredicatemaps
-semanticsid: int
-predid: int
vnpredicates
-predid: int
-pred: String
vnexamples
-exampleid: int
-example: String


bnc
bncs
-wordid: long
-pos: enum('n','v','a','r','s')
-freq: long
-range: int
-disp: float
words
-wordid: long
-lemma: String
postypes
-pos: {n,v,a,r,s}
-posname: String
bncXYs
-wordid: long
-pos: enum('n','v','a','r','s')
-freq1: long
-range1: int
-disp1: float
-freq2: long
-range2: int
-disp2: float
-ll: float


sumo
synsets
-synsetid: long
-pos: {n,v,a,r,s}
-lexdomainid: int
-definition: String
sumomaps
-synsetid: long
-sumoid: long
-sumorel: {=,+,@,:,[,]}
sumoterms
-sumoid: long
-sumoterm: String
-isX*: bool
sumoparsemaps
-formulaid: long
-sumoid: long
-maptype: {a,s,p,c}
-argnum: int
sumoformulas
-formulaid: long
-formula: String
-sumofileid: int
sumotermattrs
-sumoid: long
-sumoattr: char
sumofiles
-sumofileid: int
-sumofile: String
-sumoversion: String
-sumodate: Date


xwordnet
synset
-synsetid: long
-pos: enum('n','v','a','r','s')
-categoryid: int
-definition: String
xwnparselft
-synsetid: long
-parse: String
-lft: String
-parsequality: int
-lftquality: int
xwnwsd
-synsetid: long
-wsd: String
-text: String


glosslf
words
-wordid: long
-lemma: String
senses
-wordid: long
-casedwordid: long
-synsetid: long
-sensenum: int
-senseid: long
-sensekey: String
-lexid: int
-tagcount: int
glfs
-synsetid: long
-wordid: long
-lf: String
-text: String
-issub: boolean
synset
-synsetid: long
-pos: enum('n','v','a','r','s')
-categoryid: int
-definition: String


ilfwn
words
-wordid: long
-lemma: String
senses
-wordid: long
-casedwordid: long
-synsetid: long
-sensenum: int
-senseid: long
-sensekey: String
-lexid: int
-tagcount: int
ilfs
-synsetid: long
-wordid: long
-lf: String
-prettylf: String
-text: String
synset
-synsetid: long
-pos: enum('n','v','a','r','s')
-categoryid: int
-definition: String


morphs
morphid INT(10)
morph VARCHAR(70)
Indexes
morphmaps
wordid INT(10)
pos ENUM(...)
morphid INT(10)
Indexes
casedwords
casedwordid INT(10)
wordid INT(10)
cased VARCHAR(80)
Indexes
samples
synsetid INT(10)
sampleid SMALLINT(5)
sample MEDIUMTEXT
Indexes
lexdomains
lexdomainid SMALLINT(5)
lexdomainname VARCHAR(32)
lexdomain VARCHAR(32)
pos ENUM(...)
Indexes
words
wordid INT(10)
lemma VARCHAR(80)
Indexes
adjpositiontypes
position ENUM('a','p','ip')
positionname VARCHAR(24)
Indexes
senses
wordid INT(10)
casedwordid INT(10)
synsetid INT(10)
senseid INT(10)
sensenum SMALLINT(5)
lexid SMALLINT(5)
tagcount INT(10)
sensekey VARCHAR(100)
Indexes
adjpositions
synsetid INT(10)
wordid INT(10)
position ENUM('a','p','ip')
Indexes
postypes
pos ENUM(...)
posname VARCHAR(20)
Indexes
semlinks
synset1id INT(10)
synset2id INT(10)
linkid SMALLINT(5)
Indexes
linktypes
linkid SMALLINT(5)
link VARCHAR(50)
recurses TINYINT(1)
Indexes
synsets
synsetid INT(10)
pos ENUM(...)
lexdomainid SMALLINT(5)
definition MEDIUMTEXT
Indexes
vframemaps
synsetid INT(10)
wordid INT(10)
frameid SMALLINT(5)
Indexes
lexlinks
synset1id INT(10)
word1id INT(10)
synset2id INT(10)
word2id INT(10)
linkid SMALLINT(5)
Indexes
vframes
frameid SMALLINT(5)
frame VARCHAR(50)
Indexes
vframesentencemaps
synsetid INT(10)
wordid INT(10)
sentenceid SMALLINT(5)
Indexes
vframesentences
sentenceid SMALLINT(5)
sentence MEDIUMTEXT
Indexes


words
wordid INT(10)
lemma VARCHAR(80)
Indexes
senses21
wordid INT(10)
synsetid INT(10)
senseid INT(10)
sensenum SMALLINT(5)
sensekey VARCHAR(100)
Indexes
senses30
wordid INT(10)
synsetid INT(10)
senseid INT(10)
sensenum SMALLINT(5)
sensekey VARCHAR(100)
Indexes
sensemaps2021
wordid INT(10)
synsetid INT(10)
synset2id INT(10)
quality SMALLINT(6)
Indexes
sensemaps3031
wordid INT(10)
synsetid INT(10)
synset2id INT(10)
quality SMALLINT(6)
Indexes
senses20
wordid INT(10)
synsetid INT(10)
senseid INT(10)
sensenum SMALLINT(5)
sensekey VARCHAR(100)
Indexes
sensemaps2130
wordid INT(10)
synsetid INT(10)
synset2id INT(10)
quality SMALLINT(6)
Indexes
synsets30
synsetsid INT
Indexes
synsets
synsetid INT(10)
pos ENUM(...)
lexdomainid SMALLINT(5)
definition MEDIUMTEXT
Indexes
synsets21
synsetid INT
Indexes
synsetmaps2130
synsetid INT(10)
synset2id INT(10)
quality SMALLINT(6)
Indexes
synsets20
synsetid INT
Indexes
senses
wordid INT(10)
casedwordid INT(10)
synsetid INT(10)
senseid INT(10)
sensenum SMALLINT(5)
lexid SMALLINT(5)
tagcount INT(10)
sensekey VARCHAR(100)
Indexes
synsetmaps2030
synsetid INT(10)
synset2id INT(10)
quality SMALLINT(6)
Indexes
synsetmaps3031
synsetid INT(10)
synset2id INT(10)
quality SMALLINT(6)
Indexes


vnframenames
nameid SMALLINT(5)
framename VARCHAR(64)
Indexes
vnframesubnames
subnameid SMALLINT(5)
framesubname VARCHAR(64)
Indexes
vnexamples
exampleid SMALLINT(5)
example VARCHAR(128)
Indexes
vnselrestrtypes
selrestrid SMALLINT(5)
selrestrval VARCHAR(32)
selrestr VARCHAR(32)
Indexes
vnselrestrs
selrestrsid SMALLINT(5)
selrestrs MEDIUMTEXT
Indexes
vnroletypes
roletypeid SMALLINT(5)
roletype VARCHAR(32)
Indexes
vnframes
frameid INT(10)
number VARCHAR(16)
xtag VARCHAR(16)
nameid SMALLINT(5)
subnameid SMALLINT(5)
syntaxid INT(10)
semanticsid INT(10)
Indexes
vnexamplemaps
frameid INT(10)
exampleid SMALLINT(5)
Indexes
senses
wordid INT(10)
casedwordid INT(10)
synsetid INT(10)
senseid INT(10)
sensenum SMALLINT(5)
lexid SMALLINT(5)
tagcount INT(10)
sensekey VARCHAR(100)
Indexes
vnroles
roleid SMALLINT(5)
roletypeid SMALLINT(5)
selrestrsid SMALLINT(5)
Indexes
synsets
synsetid INT(10)
pos ENUM(...)
lexdomainid SMALLINT(5)
definition MEDIUMTEXT
Indexes
vnrolemaps
rolemapid INT(10)
wordid INT(10)
synsetid INT(10)
roleid SMALLINT(5)
classid SMALLINT(5)
rquality SMALLINT(6)
Indexes
vnsemantics
semanticsid INT(10)
semantics MEDIUMTEXT
Indexes
vnsyntaxes
syntaxid INT(10)
syntax MEDIUMTEXT
Indexes
vnframemaps
framemapid INT(10)
wordid INT(10)
synsetid INT(10)
classid SMALLINT(5)
frameid INT(10)
fquality SMALLINT(6)
Indexes
words
wordid INT(10)
lemma VARCHAR(80)
Indexes
vnpredicatemaps
semanticsid INT(10)
predid SMALLINT(5)
Indexes
vngroupings
groupingid SMALLINT(5)
grouping VARCHAR(64)
Indexes
vnclassmembers
classid SMALLINT(5)
wordid INT(10)
Indexes
vnpredicates
predid SMALLINT(5)
pred VARCHAR(128)
Indexes
vnclasses
classid SMALLINT(5)
class VARCHAR(64)
Indexes
vnclassmembersenses
classid SMALLINT(5)
wordid INT(10)
sensenum SMALLINT(5)
synsetid INT(10)
sensekey VARCHAR(100)
quality SMALLINT(6)
Indexes
vngroupingmaps
groupingmapid INT(10)
classid SMALLINT(5)
wordid INT(10)
groupingid SMALLINT(5)
Indexes


bncs
wordid INT(10)
pos ENUM(...)
freq INT(10)
range SMALLINT(5)
disp FLOAT
Indexes
bncspwrs
wordid INT(10)
pos ENUM(...)
freq1 INT(10)
range1 SMALLINT(5)
disp1 FLOAT
freq2 INT(10)
range2 SMALLINT(5)
disp2 FLOAT
ll FLOAT
Indexes
words
wordid INT(10)
lemma VARCHAR(80)
Indexes
bncimaginfs
wordid INT(10)
pos ENUM(...)
freq1 INT(10)
range1 SMALLINT(5)
disp1 FLOAT
freq2 INT(10)
range2 SMALLINT(5)
disp2 FLOAT
ll FLOAT
Indexes
bncconvtasks
wordid INT(10)
pos ENUM(...)
freq1 INT(10)
range1 SMALLINT(5)
disp1 FLOAT
freq2 INT(10)
range2 SMALLINT(5)
disp2 FLOAT
ll FLOAT
Indexes


synsets
synsetid INT(10)
pos ENUM(...)
lexdomainid SMALLINT(5)
definition MEDIUMTEXT
Indexes
sumomaps
synsetid INT(10)
sumoid INT(10)
sumownrel ENUM(...)
Indexes
sumotermattrs
sumoid INT(10)
sumoattr VARCHAR(1)
Indexes
sumoterms
sumoid INT(10)
sumoterm VARCHAR(128)
Indexes
senses
wordid INT(10)
casedwordid INT(10)
synsetid INT(10)
senseid INT(10)
sensenum SMALLINT(5)
lexid SMALLINT(5)
tagcount INT(10)
sensekey VARCHAR(100)
Indexes
sumoparsemaps
mapid INT(10)
formulaid INT(10)
sumoid INT(10)
sumoparsetype ENUM(...)
argnum SMALLINT(6)
Indexes
sumoformulas
formulaid INT(10)
formula MEDIUMTEXT
sumofileid INT(10)
Indexes
sumofiles
sumofileid INT(10)
sumofile VARCHAR(128)
sumoversion VARCHAR(5)
sumodate DATETIME
Indexes
words
wordid INT(10)
lemma VARCHAR(80)
Indexes


words
wordid INT(10)
lemma VARCHAR(80)
Indexes
senses
wordid INT(10)
casedwordid INT(10)
synsetid INT(10)
senseid INT(10)
sensenum SMALLINT(5)
lexid SMALLINT(5)
tagcount INT(10)
sensekey VARCHAR(100)
Indexes
xwnwsds
synsetid INT(10)
wsd MEDIUMTEXT
text MEDIUMTEXT
Indexes
synsets
synsetid INT(10)
pos ENUM(...)
lexdomainid SMALLINT(5)
definition MEDIUMTEXT
Indexes
xwnparselfts
synsetid INT(10)
parse MEDIUMTEXT
lft MEDIUMTEXT
parsequality SMALLINT(6)
lftquality SMALLINT(6)
Indexes


words
wordid INT(10)
lemma VARCHAR(80)
Indexes
senses
wordid INT(10)
casedwordid INT(10)
synsetid INT(10)
senseid INT(10)
sensenum SMALLINT(5)
lexid SMALLINT(5)
tagcount INT(10)
sensekey VARCHAR(100)
Indexes
glfs
wordid INT(10)
synsetid INT(10)
lf MEDIUMTEXT
text MEDIUMTEXT
issub TINYINT(1)
Indexes
synsets
synsetid INT(10)
pos ENUM(...)
lexdomainid SMALLINT(5)
definition MEDIUMTEXT
Indexes


words
wordid INT(10)
lemma VARCHAR(80)
Indexes
senses
wordid INT(10)
casedwordid INT(10)
synsetid INT(10)
senseid INT(10)
sensenum SMALLINT(5)
lexid SMALLINT(5)
tagcount INT(10)
sensekey VARCHAR(100)
Indexes
ilfs
wordid INT(10)
synsetid INT(10)
lf MEDIUMTEXT
prettylf MEDIUMTEXT
text MEDIUMTEXT
Indexes
synsets
synsetid INT(10)
pos ENUM(...)
lexdomainid SMALLINT(5)
definition MEDIUMTEXT
Indexes